



Database Programming with SQL

12-2

Updating Column Values and Deleting Rows



Objectives

In this lesson, you will learn to:

- Construct and execute an UPDATE statement
- Construct and execute a DELETE statement
- Construct and execute a query that uses a subquery to update and delete data from a table
- Construct and execute a query that uses a correlated subquery to update and delete from a table

Objectives

In this lesson, you will learn to:

- Explain how foreign-key and primary-key integrity constraints affect UPDATE and DELETE statements
- Explain the purpose of the FOR UPDATE Clause in a SELECT statement

Purpose

- Wouldn't it be a wonderful world if, once you got something done, it never needed to be changed or redone?
- Your bed would stay made, your clothes would stay clean, and you'd always be getting passing grades.
- Unfortunately in databases, as in life, "There is nothing permanent except change."
- Updating, inserting, deleting, and managing data is a Database Administrator's (DBA's) job.
- In this lesson, you will become the DBA of your own schema and learn to manage your database.

UPDATE

- The UPDATE statement is used to modify existing rows in a table.
- UPDATE requires four values:
 - the name of the table
 - the name of the column(s) whose values will be modified
 - a new value for each of the column(s) being modified
 - a condition that identifies which rows in the table will be modified.
- The new value for a column can be the result of a single-row subquery.

UPDATE

- The example shown uses an UPDATE statement to change the phone number of one employee in the employees table.
- Note that the copy_employees table is used in this transaction.

```
UPDATE copy_employees  
SET phone_number = '123456'  
WHERE employee_id = 303;
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	PHONE_NUMBER
303	Angelina	Wright	123456

UPDATE

- We can change several columns and/or several rows in one UPDATE statement.
- This example changes both the phone number and the last name for two employees.

```
UPDATE copy_employees
SET phone_number = '654321', last_name = 'Jones'
WHERE employee_id >= 303;
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	PHONE_NUMBER
303	Angelina	Jones	654321
304	Test	Jones	654321

UPDATE

- Take care when updating column values.
- If the WHERE clause is omitted, every row in the table will be updated.
- This may not be what was intended.

```
UPDATE copy_employees  
SET phone_number = '654321', last_name = 'Jones';
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	PHONE_NUMBER
100	Steven	Jones	654321
101	Neena	Jones	654321
102	Lex	Jones	654321
200	Jennifer	Jones	654321
205	Shelley	Jones	654321
206	William	Jones	654321
149	Eleni	Jones	654321
174	Ellen	Jones	654321
...

Updating a Column with a value from a Subquery

- We can use the result of a single-row subquery to provide the new value for an updated column.

```
UPDATE copy_employees
SET salary = (SELECT salary
              FROM copy_employees
              WHERE employee_id = 100)
WHERE employee_id = 101;
```

- This example changes the salary of one employee (id = 101) to the same salary as another employee (id = 100).

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	SALARY
100	Steven	King	24000
101	Neena	Kochhar	24000

Updating a Column with a value from a Subquery

```
UPDATE copy_employees
SET salary = (SELECT salary
              FROM copy_employees
              WHERE employee_id = 100)
WHERE employee_id = 101;
```

- As usual, the subquery executes first and retrieves the salary for employee id = 100.
- This salary value is then used to update the salary for employee id = 101.

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	SALARY
100	Steven	King	24000
101	Neena	Kochhar	24000

Updating Two Columns with Two Subquery Statements

- To update several columns in one UPDATE statement, it is possible to write multiple single-row subqueries, one for each column.
- In the following example the UPDATE statement changes the salary and job id of one employee (id = 206) to the same values as another employee (id = 205).

Updating Two Columns with Two Subquery Statements

```
UPDATE copy_employees
SET salary = (SELECT salary
              FROM copy_employees
              WHERE employee_id = 205),
    job_id = (SELECT job_id
             FROM copy_employees
             WHERE employee_id = 205)
WHERE employee_id = 206;
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	SALARY	JOB_ID
205	Shelley	Higgins	12000	AC_MGR
206	William	Gietz	12000	AC_MGR

Updating Rows Based On Another Table

- As you may have expected, the subquery can retrieve information from one table which is then used to update another table.
- In this example, a copy of the employees table was created.
- Then data from the original employees table was retrieved, copied, and used to populate the copy_employees table.

```
UPDATE copy_employees
SET salary = (SELECT salary
              FROM employees
              WHERE id = 205)
WHERE id = 202;
```

Updating Rows Using Correlated Subquery

- As you already know subqueries can be either stand alone or correlated.
- In a correlated subquery, you are updating a row in a table based on a select from that same table.



Updating Rows Using Correlated Subquery

- In the example below, a copy of the department name column was created in the employees table.
- Then data from the original departments table was retrieved, copied, and used to populate the copy of the column in the employees table

```
UPDATE copy_employees e
SET e.department_name = (SELECT d.department_name
                        FROM departments d
                        WHERE e.department_id = d.department_id);
```


DELETE

- The DELETE statement is used to remove existing rows in a table.
- The statement requires two values:
 - the name of the table
 - the condition that identifies the rows to be deleted



DELETE

- The example shown uses the copy employee table to delete one row—the employee with ID number 303.

```
DELETE from copy_employees  
WHERE employee_id = 303;
```

- What do you predict will be deleted if the WHERE clause is eliminated in a DELETE statement?
- All rows in the table are deleted if you omit the WHERE clause.

Subquery DELETE

- Subqueries can also be used in DELETE statements.
- The example shown deletes rows from the employees table for all employees who work in the Shipping department.
- Maybe this department has been renamed or closed down.

```
DELETE FROM copy_employees
WHERE department_id =
  (SELECT department_id
   FROM departments
   WHERE department_name = 'Shipping');
```

5 row(s) deleted

Subquery DELETE

- The example below deletes rows of all employees who work for a manager that manages more than 2 departments.

```
DELETE FROM copy_employees e
WHERE e.manager_id =
      (SELECT d.manager_id
       FROM departments d
       HAVING count (d.department_id) > 2
       GROUP BY d.manager_id);
```

Integrity Constraint Errors

- Integrity constraints ensure that the data conforms to a needed set of rules.
- The constraints are automatically checked whenever a DML statement which could break the rules is executed.
- If any rule would be broken, the table is not updated and an error is returned.

Integrity Constraint Errors

- This example violates a NOT NULL constraint because first_name has a not null constraint and id=999 does not exist, so the subquery returns a null result.

```
UPDATE copy_employees
SET last_name = (SELECT last_name
                 FROM copy_employees
                 WHERE employee_id = 999)
WHERE employee_id = 101;
```

```
ORA-01407: cannot update  
("US_A009EMEA815_PLSQL_T01"."COPY_EMPLOYEES"."LAST_NAME") to NULL
```

Integrity Constraint Errors

- When will primary key - foreign key constraints be checked?
- The EMPLOYEES table has a foreign key constraint on department_id which references the department_id of the DEPARTMENTS table.
- This ensures that every employee belongs to a valid department.
- In the DEPARTMENTS table, department_ids 10 and 20 exist but 15 does not.

Integrity Constraint Errors

- Which of the following statements will return an error?

1.

```
UPDATE employees SET department_id = 15
WHERE employee_id = 100;
```
2.

```
DELETE FROM departments WHERE department_id = 10;
```
3.

```
UPDATE employees SET department_id = 10
WHERE      department_id = 20;
```


Integrity Constraint Errors

- When modifying your table copies (for example `copy_employees`), you might see not null constraint errors, but you will not see any primary key – foreign key constraint errors.
- The reason for this is that the `CREATE TABLE AS (SELECT ...)` statement that is used to create the copy of the table, copies both the rows and the not null constraints, but does not copy the primary key – foreign key constraints.
- Therefore, no primary key – foreign key constraints exist on any of the copied tables.
- Adding constraints is covered in another lesson.

FOR UPDATE Clause in a SELECT Statement

- When a SELECT statement is issued against a database table, no locks are issued in the database on the rows returned by the query you are issuing.
- Most of the time this is how you want the database to behave—to keep the number of locks issued to a minimum.
- Sometimes, however, you want to make sure no one else can update or delete the records your query is returning while you are working on those records.

FOR UPDATE Clause in a SELECT Statement

- This is when the FOR UPDATE clause is used.
- As soon as your query is executed, the database will automatically issue exclusive row-level locks on all rows returned by your SELECT statement, which will be held until you issue a COMMIT or ROLLBACK command.
- Reminder: The on-line/hosted instance of APEX will autocommit, and the row-level lock will not occur.

FOR UPDATE Clause in a SELECT Statement

- If you use a FOR UPDATE clause in a SELECT statement with multiple tables in it, all the rows from all tables will be locked.

```
SELECT e.employee_id, e.salary, d.department_name
FROM employees e JOIN departments d USING (department_id)
WHERE job_id = 'ST_CLERK' AND location_id = 1500
FOR UPDATE
ORDER BY e.employee_id;
```

FOR UPDATE Clause in a SELECT Statement

- These four rows are now locked by the user who ran the SELECT statement until the user issues a COMMIT or ROLLBACK.

EMPLOYEE_ID	SALARY	DEPARTMENT_NAME
141	3500	Shipping
142	3100	Shipping
143	2600	Shipping
144	2500	Shipping

Terminology

Key terms used in this lesson included:

- DELETE
- Integrity constraint
- UPDATE
- Correlated subquery UPDATE
- Correlated subquery DELETE
- FOR UPDATE of SELECT

Summary

In this lesson, you should have learned how to:

- Construct and execute an UPDATE statement
- Construct and execute a DELETE statement
- Construct and execute a query that uses a subquery to update and delete data from a table
- Construct and execute a query that uses a correlated subquery to update and delete from a table

Summary

In this lesson, you should have learned how to:

- Explain how foreign-key and primary-key integrity constraints affect UPDATE and DELETE statements
- Explain the purpose of the FOR UPDATE Clause in a SELECT statement

